



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	ATTORNEY DOCKET NO. CONFIRMATION NO.	
09/883,448	06/19/2001	Hirofumi Honda	Q64974 2803		
7590 12/03/2003			EXAMINER		
	IION ZINN MACPEAR	LIU, MING HUN			
2100 Pennsylvania Avenue, NW Washington, DC 20037-3213			ART UNIT	PAPER NUMBER	
			2675	THE DICTION DELL	
			DATE MAILED: 12/02/200	. 10	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)			
* ·	_	09/883,44		HONDA ET AL.			
Office Action Summary		Examiner					
	•			Art Unit			
	The MAILING DATE of this communica	Ming-Hun		2675 orrespondence address			
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status	Responsive to communication(s) filed of	nn.					
		<del></del>	n_final				
	This action is <b>FINAL</b> . 2b) This action is non-final.  Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)🖂	4) Claim(s) <u>1-3</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
-	6)⊠ Claim(s) <u>1-3</u> is/are rejected. 7)□ Claim(s) is/are objected to.						
· —	· · · <del></del>	n and/or election re	equirement.				
8) Claim(s) are subject to restriction and/or election requirement.  Application Papers							
	The specification is objected to by the E	xaminer.					
•	The drawing(s) filed on 11/7/2001 is/are		r b)  objected to by the	ne Examiner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. §§ 119 and 120							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> <li>13) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet.</li> <li>37 CFR 1.78.</li> <li>a) The translation of the foreign language provisional application has been received.</li> <li>14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.</li> </ul>							
Attachmen							
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO mation Disclosure Statement(s) (PTO-1449) Pape	•		(PTO-413) Paper No(s) atent Application (PTO-152)			

Application/Control Number: 09/883,448

Art Unit: 2675

### DETAILED ACTION

1. The amendments concerning the claims, drawings and specifications have been acknowledged and will be entered.

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 6,094,187 to Jones et al and applicant's admitted prior art on pages 1-2 of the specification.

The reasons behind the rejections are the same as the rejection outlined in the first office action dated 4/24/2003.

## Response to Arguments

3. Applicant's arguments filed on 9/24/2003 have been fully considered but they are not persuasive.

The amended claims with the additional limitations does not present claim for allowance. The amended limitation of having "adjacent ones of aid plurality of discharge cells constitute a discharge cell block and each of the aid adjacent ones of said plurality of discharge cells is separately driven according to said respective pixel data of said input image signal" does not distinguish uniqueness form the Jones reference.

Application/Control Number: 09/883,448

Art Unit: 2675

On column 8, lines 7-17, Jones states that "spatial dither... in which each pixel comprises two subpixels... data signals D1a and D1b are *independently* applied to the subelectode tracks." In another words, the subelectrodes are separately driven.

In response to the remarks offered on page 8 of the present office action #9, Jones does disclose a single signal D1, D2, ... Dn on column 7, line 17.

Lastly, Jones acknowledges in his disclosure that his methods are merely "possible temporal and spatial dither techniques" (column 7, line 60) and are "non-limiting example(s)" (column 8, line 9). One skilled in the art understand that the data can be provided to the perform spatial and temporal dither in several different ways, all of which still based on the underlying principle of the dithering described by Jones et al.

#### Conclusion

4. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ming-Hun Liu whose telephone number is 703-305-8488. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steve Saras can be reached on 703-305-9720. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4750.

Ming-Hun Liu

STEVEN SARAS SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600